

# NOAA - National Weather Service

Tampa Bay Area 2525 14th Avenue SE, Ruskin, Florida 33570 813-645-2323 http://weather.gov/tampabay

# February 2018 and Winter 2017-18 Climate Data

As is typical during a La Niña winter we saw a wide range of temperatures with several days where morning lows were below freezing, but overall for the Winter (December/January/February) temperatures averaged slightly above normal. The big story however was the warm temperatures this February with most locations ending up as the Warmest February since records began, some over 100 years ago, as seen in the table below.

# FEBRUARY MONTHLY TEMPERATURE (°F):

	Feb	2018	Normal	Dep fm	Previous	Records
Location	Rank	Avg Temp	Feb Temp	Normal	Record	Began
Fort Myers - Page Field	1st	74.9	66.6	+8.3	72.3/1997	Jan 1902
Tampa Area	1st	74.2	63.4	+10.8	70.8/1932	Apr 1890
Plant City	1st	73.2	63.2	+10.0	70.6/1949	Sep 1892
Lakeland Linder	1st	72.8	63.3	+9.5	71.6/1932	Feb 1915
Winter Haven Area	1st	72.7	63.5	+9.2	71.5/1949	Mar 1941
St Petersburg - Whitted	1st	72.6	64.1	+8.5	72.3/1932	Aug 1914
Venice	1st	72.5	63.6	+8.9	70.1/1959	May 1955
Sarasota-Bradenton Area	1st	71.9	63.4	+8.5	70.5/1959	Jan 1911
Bartow	1st	71.6	64.5	+7.1	71.0/1949	Jun 1892
Archbold Bio Stn	1st	71.3	62.6	+8.7	69.3/2001	Jan 1969
St Leo	1st	71.2	63.6	+7.6	70.2/1932	Apr 1895
Tarpon Springs	1st	71.2	62.3	+8.9	70.7/1932	Jan 1892
Brooksville Area	1st	70.6	59.5	+11.1	69.9/1927	Jan 1892
Chiefland 5 ESE	1st	68.5	57.4	+11.1	64.2/1990	Jul 1956
Punta Gorda Area	2nd	73.1	65.5	+7.6	74.4/1949	May 1914
Arcadia	2nd	71.0	62.7	+8.3	71.2/1949	Nov 1899
Wauchula 2 N	2nd	70.8	63.9	+6.9	71.1/1949	Jan 1933
Inverness 3 SE	2nd	68.9	59.1	+9.8	69.4/1949	Jul 1948

We also set new or tied numerous daily temperature records during the month, and a few of these were all-time records for the month of February as listed in the tables below.

# NEW TEMPERATURE RECORDS FOR THE MONTH OF FEBRUARY (°F):

Location	Feb 2018 Max Temp	Previous Record	Records Began
Sarasota-Bradenton Area	90 on 02/20	88 on 02/28/1997	Jan 1911
Tampa Area	89 on 02/20	88 on 02/26/1971	Apr 1890
Chiefland 5 ESE	88 on 02/21	87 on 02/25/1962	Jul 1956

Location	Feb 2018 Highest Min Temp	Previous Record	Records Began
Tampa Area Fort Myers Area Plant City Tarpon Springs Brooksville Area Sarasota-Bradenton Area	73 on 02/20 72 on 02/20(tie) 71 on 02/13 71 on 02/21(tie) 70 on 02/21(tie) 70 on 02/20(tie)	71 on 02/10/1949 72 on 02/24/2008* 70 on 20/03/2016* 71 on 02/28/2005* 70 on 02/10/1939* 70 on 02/23/2012*	Apr 1890 Jan 1902 Sep 1892 Jan 1892 Jan 1911

<sup>\*</sup> Last of multiple occurrences


The following graphics depict the monthly departure from average temperature (based on the 1981-2010 Normals) across the region. For December we see that temperatures were about 2-4 degrees above normal, followed by 1-4 degrees below normal in January. As for February the temperatures soared and were 7-11 degrees above normal.

# Departure from Normal Temperature (°F) December 2017 January 2018 February 2018

Thanks to the very warm February the average temperature for the Winter (December/January/February) was about 1 to over 4 degrees above normal and helped place a few locations in the Top Ten Warmest as seen in the following table.

# WINTER (DEC/JAN/FEB) TEMPERATURE (°F):


	Winter 2	017-18	Normal	Dep fm	Warmest	Records
Location	Rank A	vg Temp	Temp	Normal	Winter	Began
Tampa Area	5th	66.8	62.4	+4.4	70.3/1931-32	Apr 1890
Archbold Bio Stn	6th(tie)	65.0	61.7	+3.3	67.4/2016-17	Jan 1969
Chiefland 5 ESE	8th	59.9	56.0	+3.9	62.0/1956-57	Jul 1956
Venice	8th	65.9	63.0	+2.9	68.3/1988-89	May 1955
Fort Myers - Page Field	9th(tie)	68.7	65.7	+3.0	70.9/2016-17	Jan 1902
Plant City	10th(tie)	65.4	62.1	+3.3	68.7/1948-49	Sep 1892
Lakeland Linder	12th(tie)	65.7	62.3	+3.4	70.9/1931-32	Feb 1915
Sarasota-Bradenton Area	13th(tie)	65.6	62.7	+2.9	69.1/1931-32	Jan 1911
Winter Haven Area	13th(tie)	65.2	62.4	+2.8	69.4/1948-49	Mar 1941
Punta Gorda Area	14th	67.1	64.7	+2.4	72.0/1948-49	May 1914
Inverness 3 SE	16th	60.7	58.0	+2.7	67.0/1948-49	Jul 1948
Wauchula 2 N	17th(tie)	64.5	63.0	+1.5	68.8/1948-49	Jan 1933
Bartow	18th	64.6	63.3	+1.3	68.9/1948-49	Jun 1892
St Petersburg - Whitted	18th(tie)	65.9	63.3	+2.6	72.1/1931-31	Aug 1914
St Leo	22nd(tie)	63.6	62.4	+1.2	68.7/1931-32	Apr 1895
Tarpon Springs	26th(tie)	63.6	61.3	+2.3	70.5/1931-32	Jan 1892
Arcadia	30th	64.2	61.7	+2.5	69.5/1931-32	Nov 1899
Brooksville Area	32nd(tie)	62.2	58.5	+3.7	68.2/1931-32	Jan 1892



Winter 2017-2018 Temperature Departure from Normal (°F)

As for rainfall most of the region was below normal this winter which is also pretty typical for a La Niña winter since the storm track tends to be further north. If not for two heavy rainfall events, one at the end of January and another near the beginning of February, rainfall would have been much lower from around the Tampa Bay area northward into the Nature Coast, closer to what was seen across the rest of the Florida peninsula where some areas received less than 50 percent of normal rainfall.

# Percent of Normal Rainfall



Winter 2017-2018

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Februarys and Winters (December/January/February) at some official NWS locations, and the 1981-2010 Normal (average) temperature and rainfall.

#### CHIEFLAND 5 ESE (records began in July 1956):

Warı	mest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1	68.5 in 2018	1 48.4 in 1958	1 15.20 in 1998	1 0.12 in 1962
2	64.2 in 1990	2 49.3 in 2010	2 9.06 in 2004	2 0.53 in 2018
3	64.1 in 1959	49.3 in 1968	3 8.73 in 1970	3 0.72 in 1994
4	64.0 in 2017	4 50.0 in 1978	4 7.75 in 1964	4 0.77 in 1980
	64.0 in 1982	5 52.3 in 1963	5 7.42 in 1966	5 0.78 in 1989
6	63.3 in 1975	6 52.4 in 1964	6 7.05 in 1965	6 0.82 in 1997
	63.3 in 1957	7 53.0 in 1969	7 6.55 in 1993	7 0.98 in 1996
8	63.1 in 2001	8 53.1 in 1980	8 6.26 in 1967	8 1.04 in 1991
9	62.6 in 1997	9 53.3 in 1977	9 6.10 in 1963	9 1.06 in 2000
10	62.5 in 2012 62.5 in 1962	10 53.5 in 2009	10 6.01 in 1978	10 1.21 in 2017

Normal Temperature for February at CHIF1 =  $57.4^{\circ}$  Normal Rainfall for February at CHIF1 = 3.83 in.

-----

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 62.0 in 1956-57 2 61.7 in 1971-72 3 61.5 in 1998-99 4 61.1 in 1990-91 5 60.8 in 2012-13	1 50.8 in 2002-03 2 51.7 in 1977-78 51.7 in 1976-77 4 52.0 in 2009-10 5 52.1 in 1957-58	1 30.55 in 1997-98 2 26.40 in 1977-78 3 20.46 in 1969-70 4 19.65 in 1963-64 5 17.59 in 2002-03	1 2.18 in 1956-57 2 3.86 in 2000-01 3 4.21 in 1961-62 4 5.19 in 2016-17 5.19 in 1980-81
60.8 in 1973-74 7 60.2 in 1974-75	6 52.7 in 2010-11 52.7 in 1987-88	6 17.58 in 1951-52 7 16.42 in 1978-79	6 5.26 in 2011-12 7 5.42 in 2004-05
8 59.9 in 2017-18	8 52.9 in 1995-96	8 16.27 in 1993-94	8 5.49 in 1984-85
9 59.6 in 1988-89 59.6 in 1964-65	9 53.2 in 1963-64 10 53.7 in 2005-06 53.7 in 1962-63	9 15.89 in 1983-84 10 15.15 in 1985-86	9 6.00 in 1994-95 10 6.17 in 1999-00
	55.7 111 1902 05	36 9.34 in 2017-18	23 9.34 in 2017-18

Normal Temperature for Winter (Dec/Jan/Feb) at CHIF1 =  $56.0^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at CHIF1 = 10.44 in.

\_\_\_\_\_\_

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

INVERNESS 3 SE (records began in July 1948):

Warı	mest Februarys	Coo	lest Februarys	Wet	test Februarys	Drie	est Februarys
1	69.4 in 1949	1	49.7 in 2010	1	10.21 in 1952	1	0.46 in 1999
2	68.9 in 2018	2	50.6 in 1978	2	6.62 in 1998	2	0.52 in 1985
3	68.1 in 1959	3	51.1 in 1958	3	6.45 in 1960	3	0.58 in 1976
4	66.9 in 1957	4	54.0 in 1977	4	6.25 in 1983	4	0.73 in 1950
5	65.9 in 1956	5	54.3 in 1980	5	6.16 in 1978	5	0.75 in 1989
6	65.8 in 1982	6	54.7 in 1968	6	5.64 in 2006	6	0.82 in 2009
7	65.7 in 1975	7	54.8 in 1988	7	5.56 in 1971	7	0.95 in 1949
8	64.9 in 1990	8	54.9 in 2015	8	5.43 in 1964	8	0.99 in 2005
9	64.2 in 2017	9	55.1 in 2009	9	5.35 in 2003		0.99 in 1995
	64.2 in 2012	10	55.3 in 2006	10	5.34 in 1970		0.99 in 1956
	64.2 in 2001		55.3 in 1979				
	64.2 in 1950		55.3 in 1973			17	1.85 in 2018

Normal Temperature for February at INVF1 =  $59.1^{\circ}$  Normal Rainfall for February at INVF1 = 2.86 in.

\_\_\_\_\_

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 67.0 in 1948-49 2 66.0 in 1949-50 3 65.3 in 1956-57	1 52.5 in 2002-03 2 53.1 in 1977-78 53.1 in 1976-77	1 22.52 in 1997-98 2 17.06 in 1977-78 3 14.69 in 1969-70	1 1.98 in 1949-50 2 2.49 in 2004-05 3 2.59 in 1984-85
4 64.1 in 2016-17 5 63.0 in 1971-72	4 53.2 in 2009-10 5 53.5 in 1957-58	4 14.46 in 1963-64 5 14.06 in 2002-03	4 2.98 in 2012-13 5 3.20 in 1956-57
6 62.5 in 1951-52	6 54.1 in 2010-11	6 13.93 in 1951-52	6 3.52 in 1948-49
7 62.3 in 1974-75	7 55.6 in 1987-88	7 12.79 in 1978-79	7 3.81 in 1975-76
62.3 in 1964-65 9 62.2 in 1973-74 62.2 in 1953-54	8 55.9 in 1995-96 9 56.1 in 1963-64 10 56.3 in 2005-06	8 12.70 in 1993-94 9 12.25 in 1983-84 10 12.23 in 1985-86	8 3.90 in 2011-12 9 4.02 in 1955-56 10 4.26 in 1998-99
16 60.7 in 2017-18		36 8.08 in 2017-18	30 8.08 in 2017-18

Normal Temperature for Winter (Dec/Jan/Feb) at INVF1 =  $58.0^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at INVF1 = 8.31 in.

\_\_\_\_\_\_

#### **BROOKSVILLE AREA** (records began in January 1892):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 70.6 in 2018	1 50.4 in 2010	1 10.15 in 1998	1 0.10 in 1911
2 69.9 in 1927	2 52.1 in 1895	2 9.59 in 1952	2 0.14 in 2000
3 69.1 in 1932	3 52.8 in 1902	3 8.84 in 1899	3 0.50 in 1945
4 69.0 in 1949	4 52.9 in 1978	4 8.72 in 2004	4 0.52 in 1938
5 68.8 in 1944	5 54.8 in 1947	5 7.37 in 1936	5 0.53 in 2009
6 68.6 in 1939	54.8 in 1920	6 7.19 in 1983	0.53 in 1939
7 68.4 in 1918	7 55.2 in 1901	7 7.04 in 1903	7 0.57 in 2001
8 68.1 in 1959	8 55.9 in 2009	8 6.83 in 1971	0.57 in 1943
9 66.9 in 1975	9 56.0 in 1963	9 6.78 in 1981	9 0.65 in 1950
66.9 in 1945	56.0 in 1942	10 6.52 in 1946	10 0.69 in 1989
			17 0.93 in 2018

Normal Temperature for February at BKV =  $59.5^{\circ}$  Normal Rainfall for February at BKV = 3.37 in.

\_\_\_\_\_

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 68.2 in 1931-32	1 53.8 in 1901-02	1 22.83 in 1997-98	1 1.09 in 1910-11
2 67.5 in 1948-49	2 54.0 in 2009-10	2 17.83 in 1898-99	2 1.57 in 1906-07
3 66.9 in 1949-50	3 54.5 in 2010-11	3 17.22 in 1935-36	3 1.89 in 2011-12
4 66.1 in 1926-27	4 55.0 in 2002-03	4 16.98 in 1911-12	4 2.44 in 1949-50
5 65.8 in 1912-13	5 55.7 in 1976-77	5 16.44 in 1969-70	5 2.63 in 1938-39
6 65.4 in 1936-37	6 56.2 in 1969-70	6 16.21 in 1902-03	6 2.81 in 1999-00
65.4 in 1932-33	7 56.4 in 2003-04	7 15.51 in 1963-64	7 2.87 in 2008-09
8 65.2 in 1971-72	8 56.7 in 1963-64	8 14.93 in 1913-14	8 3.02 in 1908-09
9 64.3 in 1973-74	9 56.8 in 1939-40	9 14.80 in 2003-04	9 3.26 in 1942-43
10 64.1 in 1974-75	56.8 in 1894-95	10 14.79 in 1977-78	10 3.43 in 1984-85
32 62.2 in 2017-18 62.2 in 2015-16		65 7.34 in 2017-18	54 7.34 in 2017-18

Normal Temperature for Winter (Dec/Jan/Feb) at BKV =  $58.5^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at BKV = 8.98 in.

\_\_\_\_\_\_

#### **ST LEO** (records began in April 1895):

Warı	mest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1	71.2 in 2018	1 52.7 in 1958	1 11.04 in 1998	1 0.01 in 1911
2	70.2 in 1932	2 53.3 in 2010	2 9.71 in 1899	2 0.14 in 1999
3	69.5 in 1949	3 53.9 in 1978	3 9.48 in 1983	3 0.25 in 1950
4	69.1 in 1982	4 54.4 in 1947	4 8.69 in 1937	4 0.32 in 1945
5	69.0 in 1990	5 54.9 in 1968	5 8.09 in 1936	5 0.40 in 1989
6	68.9 in 1959	6 55.9 in 1912	6 7.22 in 1915	6 0.42 in 1948
7	68.7 in 1939	7 56.0 in 1942	7 6.92 in 1897	7 0.44 in 1916
8	68.2 in 1944	8 56.5 in 1902	8 6.35 in 1971	8 0.48 in 1938
9	68.1 in 1962	9 56.7 in 1964	6.35 in 1952	9 0.51 in 1922
10	67.9 in 2001	10 57.1 in 1970	10 6.31 in 1963	10 0.54 in 2000
		57.1 in 1941		
		57.1 in 1920		16 0.89 in 2018

Normal Temperature for February at STLF1 =  $63.6^{\circ}$  Normal Rainfall for February at STLF1 = 3.04 in.

\_\_\_\_\_

War	rmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1	68.7 in 1931-32	1 54.7 in 1930-31	1 28.97 in 1997-98	1 1.56 in 1906-07
2	68.0 in 1949-50	2 55.5 in 1957-58	2 23.03 in 1898-99	2 1.72 in 1910-11
3	66.6 in 1932-33	3 56.3 in 1977-78	3 18.02 in 1981-82	3 2.07 in 1949-50
4	66.4 in 2016-17	4 56.4 in 1939-40	4 17.89 in 2002-03	4 2.23 in 1938-39
5	66.1 in 1990-91	5 56.5 in 2009-10	5 16.87 in 1969-70	5 2.62 in 2011-12
6	65.8 in 1936-37	56.5 in 1976-77	6 16.34 in 1935-36	6 2.71 in 1975-76
7	65.7 in 1996-97	7 56.9 in 1969-70	7 15.61 in 1913-14	7 2.81 in 1937-38
8	65.5 in 1926-27	8 57.1 in 2010-11	8 14.90 in 1940-41	8 3.48 in 1915-16
9	65.2 in 1912-13	9 57.3 in 1927-28	9 14.55 in 1902-03	9 3.54 in 2016-17
10	65.1 in 1998-99	10 57.5 in 1935-36	10 14.40 in 1977-78	10 3.65 in 1931-32
	65.1 in 1971-72		• • •	
	•		79 5.44 in 2017-18	37 5.44 in 2017-18
22	63.6 in 2017-18			
	63.6 in 1981-82			
	60 6 1 4054 50			

63.6 in 1951-52

Normal Temperature for Winter (Dec/Jan/Feb) at STLF1 =  $62.4^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at STLF1 = 9.08 in.

-----

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

# TARPON SPRINGS (records began in January 1892):

War	mest Februarys	Coo	lest Februarys	Wet	test Februarys	Dri	est Februarys
1	71.2 in 2018	1	51.8 in 1958	1	10.91 in 1998	1	0.06 in 1911
2	70.7 in 1932	2	52.0 in 1895	2	9.79 in 1899	2	0.17 in 2009
3	69.6 in 1949	3	53.0 in 1978	3	8.90 in 1936	3	0.26 in 1918
4	69.3 in 1990	4	54.6 in 2010	4	8.56 in 1937	4	0.32 in 1999
5	68.9 in 1944	5	55.0 in 1968	5	8.45 in 1983	5	0.38 in 1997
	68.9 in 1939	6	55.2 in 1902	6	7.36 in 1971	6	0.40 in 1950
7	68.7 in 1927	7	55.4 in 1964	7	6.52 in 1903	7	0.41 in 1989
8	68.6 in 1997		55.4 in 1947	8	6.49 in 1963	8	0.44 in 1945
9	68.1 in 1982	9	55.5 in 1980	9	6.31 in 2004	9	0.52 in 1938
10	67.3 in 1918	10	55.7 in 1963	10	6.24 in 1970	10	0.59 in 1944
						22	1.11 in 2018

Normal Temperature for February at TRPF1 =  $62.3^{\circ}$  Normal Rainfall for February at TRPF1 = 2.93 in.

\_\_\_\_\_

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 70.5 in 1931-32	1 54.2 in 1957-58	1 29.65 in 1997-98	1 0.97 in 1949-50
2 67.3 in 1949-50	2 55.1 in 1963-64	2 20.41 in 1935-36	2 2.06 in 1910-11
3 66.0 in 1932-33	3 55.8 in 1977-78	3 19.40 in 1898-99	3 2.08 in 1938-39
4 65.9 in 2016-17	4 56.3 in 1980-81	4 18.08 in 1969-70	4 2.14 in 1906-07
5 65.6 in 1990-91	5 56.5 in 1962-63	5 17.47 in 1983-84	5 2.37 in 2000-01
6 65.5 in 1936-37	56.5 in 1939-40	6 17.41 in 2002-03	6 2.67 in 2008-09
7 65.3 in 1996-97	7 56.6 in 2010-11	7 15.17 in 1902-03	7 3.02 in 1975-76
65.3 in 1926-27	56.6 in 1901-02	8 14.89 in 1963-64	8 3.11 in 1934-35
65.3 in 1912-13	9 56.8 in 2009-10	9 14.33 in 1985-86	9 3.54 in 1968-69
10 65.2 in 1998-99	56.8 in 1976-77	10 13.85 in 1978-79	10 3.56 in 1999-00
65.2 in 1971-72	56.8 in 1969-70		
• • •		65 6.71 in 2017-18	54 6.71 in 2017-18
26 63.6 in 2017-18			
63.6 in 2015-16			
63.6 in 1947-48			

Normal Temperature for Winter (Dec/Jan/Feb) at TRPF1 =  $61.3^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at TRPF1 = 8.87 in.

\_\_\_\_\_\_

# TAMPA AREA (records began in April 1890):

Warı	mest Februarys	Coolest	Februarys	Wett	test Feb	ruarys	Drie	est Febr	uarys
1	74.2 in 2018	1 52.9	9 in 1958	1	10.92 i	n 1937	1	0.05 in	1911
2	70.8 in 1932	2 53.2	2 in 1978	2	10.82 i	n 1998	2	0.08 in	1918
3	70.1 in 1949	3 54.3	3 in 1968	3	9.09 i	n 2006	3	0.21 in	1950
4	69.1 in 1990	4 54.8	3 in 1947	4	7.95 i	n 1963	4	0.25 in	1932
	69.1 in 1891	54.8	3 in 1895	5	7.43 i	n 1936	5	0.29 in	1999
6	68.9 in 1959	6 55.0	) in 2010	6	7.35 i	n 1983	6	0.30 in	2000
	68.9 in 1927	7 55.8	3 in 1969	7	6.55 i	n 2015	7	0.34 in	1949
8	68.8 in 2017	8 56.2	2 in 1912	8	6.27 i:	n 1899	8	0.41 in	1991
9	68.6 in 1997	56.2	2 in 1902	9	6.06 i	n 1903		0.41 in	1989
10	68.4 in 1939	10 56.6	5 in 1980	10	5.98 i	n 1919	10	0.43 in	1994
				57	2.71 i	n 2018	72	2.71 in	2018

Normal Temperature for February at TPA =  $63.4^{\circ}$  Normal Rainfall for February at TPA = 2.81 in.

\_\_\_\_\_

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 70.3 in 1931-32	1 55.2 in 1957-58	1 31.03 in 1997-98	1 0.51 in 1949-50
2 68.4 in 2016-17	2 55.7 in 1977-78	2 17.11 in 2002-03	2 1.41 in 1906-07
68.4 in 1948-49	3 56.0 in 1976-77	3 15.59 in 1898-99	3 1.71 in 1931-32
4 67.0 in 1949-50	4 56.2 in 1980-81	4 14.86 in 1936-37	4 1.76 in 1975-76
5 66.8 in 2017-18	5 56.5 in 1969-70	5 14.53 in 1914-15	5 1.86 in 1910-11
6 66.7 in 1936-37	6 56.8 in 1963-64	6 13.78 in 1902-03	6 2.15 in 1948-49
7 66.1 in 2011-12	7 57.2 in 1939-40	7 13.77 in 1941-42	7 2.54 in 1938-39
66.1 in 1912-13	8 57.3 in 1968-69	8 13.74 in 1935-36	8 2.76 in 1943-44
9 66.0 in 1990-91	9 57.4 in 1901-02	9 12.76 in 1963-64	9 2.85 in 1934-35
10 65.9 in 1932-33		10 12.29 in 1969-70	10 2.87 in 1904-05
10 03.9 111 1932-33	10 37.7 111 2009-10	38 8.56 in 2017-18	91 8.56 in 2017-18

Normal Temperature for Winter (Dec/Jan/Feb) at TPA =  $62.4^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at TPA = 7.51 in.

\_\_\_\_\_

#### ST PETERSBURG - ALBERT WHITTED (records began in August 1914):

War	mest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1	72.6 in 2018	1 53.7 in 1958	1 12.71 in 1998	1 0.10 in 1999
2	72.3 in 1932	2 55.7 in 1978	2 10.93 in 1937	2 0.12 in 1918
3	71.1 in 1949	3 55.9 in 2010	3 9.06 in 1983	3 0.18 in 2001
4	70.0 in 1959	4 57.3 in 1964	4 8.26 in 1963	4 0.24 in 1976
5	69.9 in 1927	57.3 in 1947	5 7.96 in 1936	5 0.29 in 2012
6	69.6 in 1957	6 58.3 in 1940	6 6.69 in 1946	6 0.34 in 1949
7	69.4 in 1944	7 58.8 in 1963	7 6.37 in 1972	7 0.43 in 1989
8	69.3 in 1982	8 58.9 in 1980	8 5.97 in 1964	8 0.44 in 1944
	69.3 in 1939	9 59.0 in 1968	9 5.67 in 1958	9 0.45 in 1950
10	69.2 in 1975	10 59.3 in 1941	10 5.57 in 1919	10 0.49 in 1922
				11 0.53 in 2018
				0.53 in 2017
				0.53 in 1945

Normal Temperature for February at SPG =  $64.1^{\circ}$  Normal Rainfall for February at SPG = 2.72 in.

\_\_\_\_\_

Warm	mest Winters	Coolest Winters	Wettest Winters	Driest Winters
2 6 3 6 4 6 5 6 6 8 6 9 6	72.1 in 1931-32 69.4 in 1948-49 68.3 in 1971-72 68.1 in 1936-37 67.8 in 1949-50 67.7 in 2016-17 67.7 in 2012-13 67.6 in 1956-57 67.5 in 1932-33 67.1 in 1926-27	1 56.7 in 1957-58 2 58.1 in 1939-40 3 58.2 in 1963-64 4 58.5 in 2009-10 58.5 in 1976-77 6 58.7 in 1977-78 7 59.2 in 1980-81 8 59.3 in 1962-63 9 59.8 in 1969-70 10 60.1 in 1930-31	1 32.36 in 1997-98 2 20.23 in 2002-03 3 17.14 in 1963-64 4 16.95 in 1914-15 5 15.15 in 1935-36 6 13.63 in 1947-48 7 13.50 in 1969-70 8 13.37 in 1936-37 9 13.14 in 1957-58 10 12.64 in 1945-46	1 0.59 in 1949-50 2 1.49 in 2016-17 3 1.51 in 2000-01 4 1.54 in 1975-76 5 1.92 in 2011-12 6 2.06 in 1938-39 7 2.11 in 1955-56 8 2.21 in 1934-35 9 2.35 in 1948-49 10 2.43 in 1943-44
	<b>65.9 in 2017-18</b> 65.9 in 1988-89			17 3.84 in 2017-18

Normal Temperature for Winter (Dec/Jan/Feb) at SPG =  $63.3^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at SPG = 8.04 in.

\_\_\_\_\_\_

# **PLANT CITY** (records began in September 1892):

Warr	mest Februarys	Coole	est Februar	ys Wet	test F	ebruarys'	Dri	iest Fe	ebruarys
1	73.2 in 2018	1 5	54.6 in 195	8 1	9.04	in 1936	1	0.00	in 1911
2	70.6 in 1949	2 5	54.9 in 201	0 2	8.87	in 1899	2	Trace	in 1918
3	70.1 in 1959	3 5	55.9 in 197	8 3	8.57	in 1983	3	0.05	in 1989
4	69.6 in 1918	4 5	56.0 in 190	2 4	8.49	in 1998	4	0.09	in 1976
5	69.0 in 2017	5 5	56.2 in 194	7 5	7.97	in 1937	5	0.25	in 1950
6	68.9 in 1982	6 5	56.7 in 196	8 6	7.56	in 1963	6	0.28	in 1932
7	68.8 in 1939		56.7 in 194	2 7	6.77	in 1919	7	0.31	in 2000
8	68.6 in 1990		56.7 in 194	1 8	6.13	in 1972	8	0.36	in 1945
9	68.2 in 2001	9 5	56.9 in 193	1 9	5.98	in 2015	9	0.37	in 1949
10	68.0 in 1997	10 5	57.1 in 191	2 10	5.73	in 1992		0.37	in 1944
	68.0 in 1962							•	
	68.0 in 1944			74	1.91	in 2018	48	1.91	in 2018

Normal Temperature for February at PLCF1 =  $63.2^{\circ}$  Normal Rainfall for February at PLCF1 = 2.72 in.

\_\_\_\_\_

Warme	est W	inters	Cod	olest	Wir	nters	Wet	ttest V	Vint	ters	Dri	iest V	√int	ters
2 67 3 66 4 66 5 66	7.2 in 6.8 in 6.2 in 6.1 in	n 1948-49 n 1971-72 n 1956-57 n 1949-50 n 1912-13 n 2015-16	2 3 5	56.5 56.6 56.6 56.7	in in in in	1930-31 1935-36 1939-40 1901-02 1957-58 1980-81	2 3 4 5	17.28 17.16 16.72 14.70	in in in in	1997-98 1898-99 1935-36 2002-03 1914-15 1905-06	2 3 4 5	1.06 2.04 2.15 2.19	in in in in	1906-07 1975-76 1910-11 1938-39 1908-09 2011-12
7 65	5.6 i	n 2012-13	7	57.5	in	1976-77	7	14.09	in	1978-79	7	2.68	in	1917-18
8 65	5.5 i	n 2007-08	8	57.9	in	2009-10	8	13.94	in	1963-64	8	2.75	in	1942-43
65	5.5 i	n 1936-37	9	58.2	in	1963-64	9	13.57	in	1925-26	9	2.89	in	1904-05
10 65	5.4 i	n 2017-18	10	58.3	in	1969-70	10	13.54	in	1969-70	10	3.19	in	1948-49
65	5.4 i	n 1990-91		58.3	in	1895-96		•				•		
							60	6.86	in	2017-18	55	6.86	in	2017-18
								6.86	in	1928-29		6.86	in	1928-29

Normal Temperature for Winter (Dec/Jan/Feb) at PLCF1 =  $62.1^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at PLCF1 = 8.10 in.

\_\_\_\_\_

Contact: Paul Close, <a href="mailto:Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

#### **LAKELAND AREA** (records began in February 1915):

War	mest Februarys	Cooles	st Februarys	Wet	test Februa	arys Dri	lest Febr	uarys
1	72.8 in 2018	1 52	2.8 in 1958	1	9.60 in 19	983 1	Trace in	1918
2	71.6 in 1932	2 54	l.7 in 1947	2	8.40 in 19	936 2	0.14 in	1989
3	70.4 in 1918	3 55	5.0 in 1978	3	8.25 in 19	998 3	0.17 in	1945
4	70.1 in 1990	4 55	5.8 in 1968	4	7.21 in 19	937 4	0.20 in	1916
	70.1 in 1949	5 55	5.9 in 2010	5	6.59 in 19	963 5	0.25 in	1932
6	69.8 in 1982	6 56	5.7 in 1941	6	5.89 in 19	915 6	0.26 in	1949
7	69.6 in 1927	7 56	5.8 in 1942	7	5.65 in 20	015	0.26 in	1935
8	69.3 in 1939	8 57	7.3 in 1964	8	5.55 in 19	919 8	0.27 in	1976
9	68.8 in 2001	57	7.3 in 1963	9	5.36 in 19	972 9	0.48 in	1999
10	68.4 in 2017	10 57	7.9 in 1973	10	5.11 in 19	992	0.48 in	1944
		57	7.9 in 1970					
				66	1.78 in 20	018 39	1.78 in	2018

Normal Temperature for February at LLDF1 =  $63.3^{\circ}$  Normal Rainfall for February at LLDF1 = 3.00 in.

-----

Warmest Winter	cs Coolest	Winters	Wettest W	Vinters	Driest Winters
1 70.9 in 193 2 68.1 in 194 3 68.0 in 201 4 66.9 in 194 5 66.7 in 193	18-49       2 56.6         16-17       3 56.8         19-50       4 57.1         186-37       5 57.4	in 1957-58 in 1976-77 in 1977-78 in 1969-70 in 1963-64	2 19.49 3 16.60 4 12.94 5 12.66	in 1997-98 in 2002-03 in 1935-36 in 1978-79 in 1982-83	1 1.49 in 1934-35 2 1.64 in 1975-76 3 1.82 in 1938-39 4 2.04 in 1927-28 5 2.10 in 1943-44
66.7 in 193 7 66.4 in 195 8 66.3 in 197	56-57 7 58.2	in 1939-40 in 1982-83 in 1980-81	7 11.96	in 1925-26 in 1963-64 in 1965-66	6 2.21 in 1931-32 7 2.47 in 1948-49 8 2.56 in 2011-12
9 66.2 in 201 10 66.1 in 199	2-13 9 58.6	in 1962-63 in 2009-10	9 11.58	in 1992-93 in 1947-48	9 2.71 in 2000-01 10 2.77 in 1917-18
11 66.0 in 200 12 65.7 in 201	07-08 . <b>7-18</b>	111 2003 10	•••	in 2017-18	53 6.88 in 2017-18
65.7 in 198 65.7 in 192 65.7 in 192	26-27				

Normal Temperature for Winter (Dec/Jan/Feb) at LLDF1 =  $62.3^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at LLDF1 = 8.24 in.

\_\_\_\_\_\_

# **BARTOW** (records began in June 1892):

War	mest Februarys	Coo	lest Feb	ruarys	Wet	test I	Febi	ruarys	Drie	est Fe	ebru	ıarys
1	71.6 in 2018	1	54.1 in	1895	1	9.15	in	1998	1	0.00	in	1911
2	71.0 in 1949	2	54.8 in	1958	2	9.12	in	1936	2	0.03	in	1932
3	70.1 in 1959	3	54.9 in	1912	3	8.33	in	1983	3	0.07	in	2001
4	69.7 in 2017	4	56.2 in	1968	4	8.11	in	1963	4	0.14	in	1916
5	69.6 in 1990	5	56.3 in	2010	5	7.30	in	1899	5	0.21	in	2000
	69.5 in 1982	6	56.4 in	1947	6	6.41	in	1937	6	0.24	in	1989
7	69.5 in 2001	7	57.8 in	1901	7	6.33	in	1913	7	0.26	in	1945
	68.5 in 1903	8	57.9 in	1980	8	6.23	in	1960	8	0.33	in	1950
9	68.9 in 1975	9	58.0 in	1977	9	6.16	in	1972	9	0.37	in	2009
10	68.6 in 1997	10	58.1 in	1964	10	5.76	in	1924	10	0.40	in	1999
	68.6 in 1962											
					84	1.54	in	2018	44	1.54	in	2018

Normal Temperature for February at BARF1 =  $64.5^{\circ}$  Normal Rainfall for February at BARF1 = 2.36 in.

\_\_\_\_\_

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 68.9 in 1948-49	1 56.7 in 1957-58	1 24.41 in 1997-98	1 1.57 in 1938-39
2 67.5 in 2013-14	2 57.8 in 1909-10	2 19.39 in 2002-03	2 1.65 in 1943-44
3 66.8 in 1949-50	3 58.0 in 1980-81	3 18.87 in 1935-36	3 1.72 in 1934-35
4 66.7 in 2016-17	4 58.5 in 1969-70	4 16.18 in 1914-15	4 1.77 in 2011-12
5 66.3 in 1998-99	5 58.7 in 1963-64	5 16.06 in 1905-06	5 1.83 in 1984-85
66.3 in 1956-57	6 59.4 in 2010-11	6 15.37 in 1898-99	6 1.89 in 1910-11
7 66.2 in 1971-72	7 59.5 in 1962-63	7 15.02 in 1925-26	7 2.03 in 2000-01
8 65.8 in 1988-89	8 59.7 in 1903-04	8 13.59 in 1957-58	8 2.15 in 1915-16
65.8 in 1974-75	9 59.8 in 1911-12	9 13.23 in 1965-66	9 2.16 in 1949-50
65.8 in 1912-13 18 64.6 in 2017-18	10 59.9 in 1968-69 59.9 in 1954-55	10 13.03 in 1902-03 80 4.92 in 2017-18	10 2.22 in 1904-05 42 4.92 in 2017-18

Normal Temperature for Winter (Dec/Jan/Feb) at BARF1 =  $63.3^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at BARF1 = 7.45 in.

\_\_\_\_\_\_

#### WINTER HAVEN AREA (records began in March 1941):

War	mest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys		
1	72.7 in 2018	1 54.0 in 1958	1 10.61 in 1998	1 0.20 in 1945		
2	71.5 in 1949	2 55.0 in 2010	2 7.82 in 1983	2 0.32 in 1989		
3	70.1 in 1990	3 55.5 in 1978	3 6.57 in 1960	3 0.33 in 1944		
4	70.0 in 1975	4 56.4 in 1968	4 6.03 in 1963	4 0.41 in 2011		
5	69.4 in 1982	5 56.8 in 1969	5 5.86 in 2015	5 0.44 in 1950		
	69.4 in 1959	6 57.0 in 1947	6 5.49 in 1957	6 0.52 in 1999		
7	69.0 in 1997	7 57.9 in 1964	7 5.08 in 2002	7 0.54 in 2009		
8	68.9 in 1962	8 58.5 in 1980	8 5.05 in 1972	8 0.56 in 2000		
9	68.4 in 2001	9 58.9 in 1977	9 4.73 in 1971	9 0.58 in 1949		
10	68.2 in 2017	10 59.0 in 1963	10 4.66 in 1967	10 0.60 in 1954		
	68.2 in 1957			• • •		
	68.2 in 1944			19 1.01 in 2018		
				1.01 in 2012		

Normal Temperature for February at GIF =  $63.5^{\circ}$  Normal Rainfall for February at GIF = 2.63 in.

-----

Warmest Winters		Coolest	Winters	Wettest Winters	Driest Winters			
2 67.8 3 67.5 4 67.4	in 1948-49 in 1949-50 in 1971-72 in 2016-17 in 1990-91	2 56.9 3 57.7 4 58.0	in 1957-58 in 1976-77 in 1963-64 in 2009-10 in 1977-78	1 16.55 in 2002-03 2 12.78 in 1965-66 3 12.35 in 1963-64 4 12.17 in 1957-58 5 12.10 in 1947-48	1 1.75 in 1984-85 2 1.83 in 1943-44 3 2.00 in 2011-12 4 2.28 in 1975-76 5 2.79 in 1948-49			
· · · ·	in 1988-89	0 00.1	in 1968-69	6 11.75 in 1983-84	6 3.00 in 2012-13			
	in 1956-57		in 2010-11	7 11.72 in 1978-79	7 3.09 in 2000-01			
8 66.1	in 1974-75	8 59.1	in 1969-70	8 10.68 in 1977-78	8 3.53 in 2017-18			
9 65.7	in 2012-13	9 59.6	in 1962-63	9 10.53 in 1959-60	9 3.54 in 1949-50			
10 65.4	in 1996-97	10 60.6	in 1975-76	10 10.51 in 1982-83	10 3.57 in 2008-09			
65.4	in 1961-62							
12 65.3	in 2011-12							
13 65.2	in 2017-18							
65.2	in 1973-74							

Normal Temperature for Winter (Dec/Jan/Feb) at GIF =  $62.4^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at GIF = 7.76 in.

\_\_\_\_\_\_

#### SARASOTA-BRADENTON AREA (records began in January 1911):

Warı	mest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys			
1	71.9 in 2018	1 54.4 in 1958	1 10.16 in 1983	1 Trace in 1911			
2	70.5 in 1959	2 54.8 in 1978	2 9.29 in 1963	2 0.05 in 2001			
3	69.7 in 1949	3 55.7 in 2010	3 7.34 in 1915	3 0.11 in 1950			
4	69.4 in 1990	4 56.3 in 1977	4 7.13 in 1992	4 0.13 in 1989			
5	69.1 in 1932	5 57.3 in 1980	5 6.65 in 1936	5 0.15 in 1932			
6	68.4 in 1982	57.3 in 1912	6 6.04 in 1937	6 0.20 in 1918			
7	68.3 in 1939	7 57.7 in 1968	7 5.92 in 1942	7 0.21 in 1949			
8	68.2 in 2012	8 58.2 in 1942	8 5.91 in 1998	8 0.25 in 1945			
	68.2 in 2001	9 58.4 in 1969	9 5.80 in 1964	9 0.27 in 1944			
10	68.0 in 1994	10 58.5 in 1941	10 5.73 in 1947	10 0.29 in 1976			
	68.0 in 1957			11 0.40 in 1922			
				12 0.44 in 2018			

Normal Temperature for February at SRQ =  $63.4^{\circ}$  Normal Rainfall for February at SRQ = 2.70 in.

-----

War	rmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1	69.1 in 1931-32	1 55.8 in 1976-77	1 28.11 in 1997-98	1 0.14 in 1949-50
2	67.9 in 1949-50	2 56.9 in 1977-78	2 19.08 in 1914-15	2 1.26 in 2000-01
	67.9 in 1948-49	3 57.1 in 1980-81	3 14.94 in 1935-36	3 1.35 in 1975-76
4	67.0 in 2016-17	4 57.3 in 1957-58	4 14.44 in 2002-03	4 1.69 in 1948-49
5	66.9 in 1936-37	5 57.6 in 1939-40	5 14.38 in 1977-78	5 1.88 in 1931-32
6	66.4 in 1956-57	6 58.0 in 1930-31	6 13.92 in 1913-14	6 1.90 in 2011-12
7	66.1 in 2007-08	7 58.2 in 2010-11	7 13.71 in 1992-93	7 2.00 in 1934-35
8	66.0 in 2011-12	8 58.6 in 2009-10	8 13.61 in 1963-64	8 2.14 in 1938-39
	66.0 in 1990-91	9 59.0 in 1963-64	9 13.36 in 1982-83	9 2.86 in 1961-62
10	65.8 in 2012-13	10 59.5 in 1969-70	10 12.99 in 1957-58	10 2.88 in 1943-44
11	65.7 in 2006-07	59.5 in 1935-36		
12	65.6 in 1951-52			24 4.16 in 2017-18
13	65.5 in 2017-18			
	65.5 in 1932-33			

Normal Temperature for Winter (Dec/Jan/Feb) at SRQ =  $62.7^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at SRQ = 7.72 in.

\_\_\_\_\_\_

# **VENICE** (records began in May 1955):

War	mest Februarys	Coole	est Februarys	Wett	est Februarys	Driest Februarys			
1	72.5 in 2018	1 5	54.2 in 1958	1	6.36 in 1957	1	0.00 in 2001		
2	70.1 in 1959	2 5	55.0 in 1978	2	5.63 in 1998	2	0.10 in 1999		
3	69.8 in 2012	3 5	57.2 in 1980	3	5.62 in 1978	3	0.15 in 1989		
	69.8 in 2001	4 5	58.1 in 1977	4	5.51 in 1963	4	0.29 in 1988		
5	68.5 in 1997	5 5	58.3 in 1973	5	5.47 in 1972	5	0.30 in 1997		
6	68.2 in 1994	6 5	58.8 in 1968	6	4.92 in 2002	6	0.36 in 1962		
7	68.0 in 1989	7 5	58.9 in 2010		4.92 in 1964	7	0.39 in 2011		
8	67.6 in 1956	8 5	59.0 in 1964	8	4.57 in 2015	8	0.41 in 1994		
9	67.5 in 2017	9 5	59.7 in 1969	9	4.37 in 1992	9	0.60 in 2000		
	67.5 in 1982	10 6	60.3 in 2015	10	4.26 in 1960	10	0.71 in 1976		
		6	60.3 in 1963						
						21	1.31 in 2018		

Normal Temperature for February at VNCF1 =  $63.6^{\circ}$  Normal Rainfall for February at VNCF1 = 2.24 in.

\_\_\_\_\_

Warı	mest W:	inters	Coolest	Winte	ers	Wet	test V	√int	ters	Dri	iest V	√int	ters
2	68.1 in	n 1988-89 n 1971-72 n 2016-17	0 0 , • 0	in 19		2	14.71 12.68	in in	1997-98 1957-58 2015-16 1977-78	2	1.99 2.18	in in	2011-12 2000-01 2016-17 1975-76
5	67.5 in	n 2011-12	5 59.6	in 19	963-64	5	12.01	in	1972-73	5	2.61	in	1961-62
6	67.0 in	n 1998-99	6 59.7	in 19	969-70	6	11.45	in	1963-64	6	2.70	in	1984-85
7	66.2 in	n 1996-97	7 60.5	in 19	962-63	7	11.34	in	1965-66	7	3.19	in	2012-13
8	65.9 i	n 2017-18	8 60.6	in 20	010-11	8	11.20	in	2009-10	8	3.25	in	1996-97
9	65.8 in	n 1956-57	9 60.7	in 19	979-80	9	10.94	in	1983-84		3.25	in	1973-74
10	65.5 in	n 2015-16	10 60.9	in 20	002-03	10	10.58	in	1978-79	10	3.27	in	2008-09
			60.9	in 19	968-69								
						34	5.84	in	2017-18	28	5.84	in	2017-18

Normal Temperature for Winter (Dec/Jan/Feb) at VNCF1 =  $63.0^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at VNCF1 = 7.02 in.

\_\_\_\_\_\_

WAUCHULA 2 N (records began in January 1933):

War	mest Februarys	Coo	lest Februarys	Wet	test Februarys	Driest Februarys			
1	71.1 in 1949	1	46.7 in 2010	1	10.13 in 1983	1	0.00 in 2001		
2	70.8 in 2018	2	54.4 in 1958	2	9.71 in 1936		0.00 in 2000		
3	70.7 in 1939	3	56.3 in 1978	3	7.08 in 1937	3	0.19 in 1945		
4	70.1 in 1959	4	57.1 in 1947	4	6.86 in 1924	4	0.22 in 1989		
5	69.8 in 1933	5	57.3 in 1968	5	5.92 in 1982	5	0.30 in 1997		
6	69.5 in 1982	6	58.3 in 2015	6	5.80 in 1963	6	0.33 in 1950		
7	69.4 in 1990	7	58.5 in 2007	7	5.73 in 1998	7	0.45 in 2009		
8	69.3 in 1975		58.5 in 1942	8	5.66 in 1902		0.45 in 1949		
9	68.9 in 1962	9	58.7 in 1980	9	5.54 in 1903	9	0.52 in 2018		
10	68.7 in 2008	10	58.9 in 1964	10	4.92 in 1960	10	0.58 in 1962		

Normal Temperature for February at WAUF1 =  $63.9^{\circ}$  Normal Rainfall for February at WAUF1 = 2.71 in.

-----

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 68.8 in 1948-49 2 68.5 in 1936-37 3 67.4 in 1971-72 4 67.3 in 2007-08 5 66.4 in 1974-75 6 66.2 in 1990-91 7 66.0 in 2016-17	1 49.6 in 2009-10 2 56.5 in 2010-11 3 58.0 in 1977-78 4 58.1 in 1980-81 5 58.4 in 2002-03 6 58.6 in 1969-70 7 58.7 in 1976-77	1 21.20 in 1997-98 2 16.61 in 1935-36 3 14.21 in 1965-66 4 14.16 in 1957-58 5 13.26 in 1982-83 6 12.58 in 1972-73 7 12.15 in 1978-79	1 0.72 in 1949-50 2 1.45 in 2000-01 3 1.90 in 2011-12 4 2.00 in 1948-49 5 2.11 in 1938-39 6 2.13 in 1934-35 7 2.33 in 1975-76
8 65.9 in 1988-89	58.7 in 1939-40	8 11.65 in 2009-10	8 2.34 in 1984-85
9 65.8 in 1956-57	9 58.8 in 2003-04	9 11.48 in 2015-16	9 2.40 in 1999-00
10 65.7 in 1961-62	10 59.0 in 1963-64	10 11.35 in 1977-78	10 2.42 in 1943-44
 17 64.5 in 2017-18		60 3.92 in 2017-18	 20 3.92 in 2017-18
64.5 in 1964-65			

Normal Temperature for Winter (Dec/Jan/Feb) at WAUF1 =  $63.0^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at WAUF1 = 6.90 in.

\_\_\_\_\_\_

#### **ARCADIA** (records began in November 1899):

War	mest Februarys	Coolest 1	Februarys	Wet	test Februarys	Drie	est Februarys
1	71.2 in 1949	1 54.5	in 2010	1	10.13 in 1983	1	0.00 in 2001
2	71.0 in 2018	2 55.3	in 1958	2	9.71 in 1936		0.00 in 1916
3	70.4 in 1939	3 56.0	in 1978	3	7.08 in 1937	3	0.01 in 1999
4	70.3 in 1959	4 57.1	in 1968	4	6.86 in 1924	4	0.05 in 1918
5	70.1 in 1982	5 57.8	in 1947	5	5.92 in 1982	5	0.10 in 2011
	70.1 in 1932	6 58.0	in 1980	6	5.80 in 1963		0.10 in 1911
7	69.2 in 1933	7 58.8	in 1942	7	5.73 in 1998	7	0.15 in 1950
8	69.1 in 1975	58.8	in 1902	8	5.66 in 1902	8	0.24 in 1949
9	68.7 in 1997	9 59.1	in 2015	9	5.54 in 1903	9	0.26 in 1956
	68.7 in 1929	59.1	in 2007	10	4.92 in 1960	10	0.43 in 1945
		59.1	in 1973				
		59.1	in 1970			16	0.52 in 2018
		59.1	in 1912				

Normal Temperature for February at ARCF1 =  $62.7^{\circ}$  Normal Rainfall for February at ARCF1 = 2.56 in.

\_\_\_\_\_

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 69.5 in 1931-32	1 57.1 in 1980-81	1 16.85 in 1997-98	1 0.27 in 1949-50
2 68.9 in 1948-49	2 57.2 in 2010-11	2 15.63 in 1935-36	2 0.97 in 1948-49
3 68.6 in 1912-13	3 57.5 in 2009-10	3 14.10 in 1982-83	0.97  in  1910-11
4 67.8 in 1936-37	4 57.7 in 1957-58	4 13.42 in 1977-78	4 1.17 in 2000-01
5 66.8 in 1971-72	5 57.8 in 1977-78	5 13.03 in 1905-06	5 1.62 in 2011-12
66.8 in 1932-33	6 58.5 in 1976-77	6 12.98 in 1978-79	6 2.06 in 1984-85
7 66.7 in 1949-50	58.5 in 1969-70	7 12.78 in 2015-16	2.06 in 1932-33
8 66.6 in 1956-57	8 58.6 in 1939-40	8 12.45 in 1902-03	8 2.15 in 1926-27
9 66.3 in 2016-17	9 59.3 in 1930-31	9 12.14 in 1914-15	9 2.19 in 1975-76
10 66.1 in 1974-75	10 59.5 in 2002-03	10 12.11 in 1941-42	10 2.20 in 2008-09
	59.5 in 1901-02	• • •	• • •
30 64.2 in 2017-18		80 3.42 in 2017-18	27 3.42 in 2017-18

Normal Temperature for Winter (Dec/Jan/Feb) at ARCF1 =  $61.7^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at ARCF1 = 6.33 in.

\_\_\_\_\_

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

# ARCHBOLD BIO STATION (records began in January 1969):

War	mest Februarys	Coo	lest Februarys	Wet	test Februarys	Driest Februarys			
1	71.3 in 2018	1	55.2 in 1978	1	10.85 in 1983	1	0.00 in 2001		
2	69.3 in 2001	2	55.4 in 2010	2	8.28 in 1998	2	0.22 in 2011		
3	68.9 in 1990	3	56.8 in 1980	3	5.00 in 2004	3	0.27 in 1999		
	68.9 in 1982	4	57.8 in 1969	4	4.73 in 1992	4	0.33 in 1989		
5	68.6 in 1975	5	58.1 in 1973	5	3.86 in 2002	5	0.37 in 2000		
6	68.1 in 1997	6	58.2 in 1970	6	3.57 in 1970	6	0.38 in 2009		
7	67.3 in 2012	7	59.2 in 1988	7	3.51 in 2016	7	0.49 in 1975		
8	67.2 in 2017	8	59.3 in 2009	8	3.46 in 1981	8	0.53 in 1977		
	67.2 in 1994	9	59.8 in 2006	9	3.31 in 2006	9	0.54 in 2018		
10	67.0 in 2014		59.8 in 1977	10	3.27 in 1990	10	0.73 in 2003		

Normal Temperature for February at ACHF1 =  $62.6^{\circ}$  Normal Rainfall for February at ACHF1 = 2.55 in.

-----

Waı	rmest V	Wir	nters	Cod	olest	Wir	nters	We <sup>-</sup>	ttest [	√int	ters	Dr	iest V	√int	ters
2 3 4 5	66.2 : 65.7 : 65.4 : 65.1 :	in in in in	2016-17 1971-72 1974-75 1990-91 2015-16 <b>2017-18</b>	2 3 4 5	57.4 58.1 58.2 58.5	in in in in	1980-81 1969-70 1976-77 1977-78 2010-11 2009-10	2 3 4 5	16.19 15.77 13.16 11.18	in in in in	1997-98 2015-16 1982-83 1978-79 1969-70 2003-04	2 3 4 5	1.44 1.77 2.04 2.43	in in in in	2000-01 1975-76 1984-85 2016-17 2011-12 2008-09
	65.0	in	2007-08	7	60.0	in	2002-03	7	9.94	in	1972-73	7	2.68	in	1970-71
8	64.8	in	2012-13		60.0	in	1995-96	8	9.71	in	1994-95	8	3.44	in	1981-82
9	64.7	in	2013-14	9	60.2	in	1979-80	9	9.09	in	1977-78	9	3.48	in	2017-18
10	64.6	in	2006-07	10			2003-04 1987-88	10	8.77	in	1992-93	10	3.50	in	1998-99

Normal Temperature for Winter (Dec/Jan/Feb) at ACHF1 =  $61.7^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at ACHF1 = 6.39 in.

\_\_\_\_\_\_

#### PUNTA GORDA AREA (records began in July 1914):

Warmest Februarys	Coolest Februarys	Wettest Februarys	Driest Februarys
1 74.4 in 1949	1 57.3 in 1958	1 12.11 in 1936	1 0.00 in 2001
2 73.1 in 2018	2 57.5 in 1978	2 11.05 in 1983	0.00 in 1950
3 71.2 in 1959	3 58.6 in 2010	3 5.68 in 1963	3 0.03 in 1999
71.2 in 1932	58.6 in 1968	4 5.61 in 1982	4 0.04 in 1938
5 70.7 in 1918	5 58.9 in 1980	5 5.59 in 1937	0.04 in 1932
6 70.6 in 1982	6 59.3 in 1942	6 5.26 in 1998	6 0.09 in 2009
70.6 in 1962	7 59.5 in 1969	7 4.88 in 1924	0.09 in 1929
8 70.3 in 1957	8 59.8 in 1973	8 4.62 in 1964	8 0.18 in 1974
9 70.2 in 1939	9 60.1 in 1920	9 4.50 in 1952	9 0.25 in 1918
70.0 in 1933	10 60.2 in 1970	10 4.41 in 1940	10 0.26 in 1945
	60.2 in 1947		
			22 0.76 in 2018

Normal Temperature for February at PNTF1 =  $65.5^{\circ}$  Normal Rainfall for February at PNTF1 = 2.43 in.

\_\_\_\_\_

War	rmest Winters	Coolest Winters	Wettest Winters	Driest Winters
2 3 4 5	72.0 in 1948-49 70.7 in 1931-32 70.2 in 1949-50 69.6 in 2016-17 69.2 in 1932-33	1 59.1 in 1977-78 2 59.3 in 1976-77 59.3 in 1969-70 4 59.9 in 1957-58 5 60.0 in 1980-81	1 16.32 in 1935-36 2 15.45 in 1997-98 3 15.16 in 1982-83 4 14.47 in 2015-16 5 12.66 in 1925-26	1 0.40 in 2000-01 2 0.58 in 1949-50 3 1.24 in 1938-39 4 1.55 in 1948-49 5 1.73 in 2011-12
-	68.5 in 1956-57	60.0 in 1963-64 7 60.5 in 1939-40	6 12.65 in 1940-41 7 11.76 in 1977-78	6 1.87 in 1927-28 7 2.07 in 2008-09
8	68.3 in 1961-62 68.0 in 1971-72 67.9 in 1936-37	8 60.6 in 2010-11 60.6 in 1975-76	8 11.71 in 1930-31 9 11.51 in 1978-79	8 2.08 in 1973-74 9 2.13 in 1961-62
	67.4 in 1946-47	60.6 in 1968-69	10 11.42 in 1958-59	10 2.18 in 2016-17
11	67.3 in 1947-48			• • •
12	67.2 in 2012-13		63 4.12 in 2017-18	37 4.12 in 2017-18
	67.2 in 1990-91			
14	67.1 in 2017-18			

Normal Temperature for Winter (Dec/Jan/Feb) at PNTF1 =  $64.7^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at PNTF1 = 6.01 in.

\_\_\_\_\_\_

Date: 03/01/2018

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

#### FORT MYERS AREA (records began in January 1902):

Warı	mest Februarys	Coole	st Februarys	Wet	test Febr	uarys	Drie	est Fe	ebru	arys
1	74.9 in 2018	1 5	5.5 in 1958	1	10.82 in	1983	1 :	Trace	in	2001
2	72.3 in 1997	2 5	7.2 in 1978	2	6.79 in	1902		Trace	in	1944
3	72.2 in 1982	3 5	8.8 in 1947	3	5.93 in	1934		Trace	in	1911
4	71.8 in 1949	4 5	9.3 in 1902	4	5.50 in	1936	4	0.06	in	1948
5	71.4 in 2017	5 5	9.4 in 2010	5	5.13 in	1913	5	0.07	in	1949
	71.4 in 2001	5	9.4 in 1942	6	4.65 in	1963	6	0.08	in	1950
7	71.3 in 1990	7 5	9.9 in 1968	7	4.34 in	1952		0.08	in	1929
8	71.2 in 2012	8 6	50.0 in 1912	8	4.00 in	1940	8	0.10	in	1905
9	71.1 in 1959	9 6	50.1 in 1970	9	3.89 in	1992	9	0.11	in	2000
10	70.9 in 1994	10 6	50.4 in 1941	10	3.82 in	1941		0.11	in	1943
				80	0.88 in	2018	34	0.88	in	2018

Normal Temperature for February at FMY =  $66.6^{\circ}$  Normal Rainfall for February at FMY = 2.15 in.

\_\_\_\_\_

Warmest Winters	Coolest Winters	Wettest Winters	Driest Winters
1 70.9 in 2016-17 2 70.7 in 1931-32 3 70.1 in 1948-49 4 69.8 in 1971-72 5 69.4 in 1990-91 6 69.1 in 1936-37 7 69.0 in 2007-08 8 68.8 in 1996-97 9 68.7 in 2017-18 68.7 in 2013-13 68.7 in 2011-12	1 58.2 in 1957-58 2 59.7 in 1969-70 3 59.8 in 1976-77 4 60.0 in 1977-78 5 61.3 in 1980-81 61.3 in 1939-40 7 61.5 in 1963-64 61.5 in 1950-51 61.5 in 1903-04 10 61.6 in 1930-31	1 18.71 in 2015-16 2 15.59 in 1982-83 3 15.19 in 1997-98 4 13.74 in 1978-79 5 12.26 in 1940-41 6 12.02 in 1925-26 7 11.51 in 2003-04 8 11.06 in 1902-03 9 10.85 in 1957-58 10 10.51 in 1969-70	1 0.45 in 2000-01 2 0.71 in 1948-49 3 0.80 in 1910-11 4 1.14 in 1984-85 5 1.21 in 1926-27 6 1.42 in 1974-75 7 1.43 in 1904-05 8 1.47 in 1928-29 9 1.50 in 1961-62 10 1.53 in 1938-39
		65 3.49 in 2017-18	39 3.49 in 2017-18

Normal Temperature for Winter (Dec/Jan/Feb) at FMY =  $65.7^{\circ}$  Normal Rainfall for Winter (Dec/Jan/Feb) at FMY = 5.80 in.

\_\_\_\_\_\_

For more local climate information, please visit our web page at http://www.weather.gov/tampabay and look within the "Climate and Past Weather" drop down menu above the map of the area.